


AD-A266 954



AD _____

(2)

MIPR NO: 91MM1504

**TITLE: DEVELOPMENT OF THE OMPAT NEUROPSYCHOLOGICAL/PSYCHOMOTOR
PERFORMANCE EVALUATION AND OMPAT DATA AND TIMING SUPPORT
PROGRAMS**

**PRINCIPAL INVESTIGATOR: Kathryn P. Winter
Dennis L. Reeves**

**CONTRACTING ORGANIZATION: Naval Computer and Telecommunications
Station, Code N-1, Bldg. 603
Naval Air Station
Pensacola, Florida 32508-6100**

REPORT DATE: October 15, 1992

TYPE OF REPORT: Annual Report

**PREPARED FOR: U.S. Army Medical Research and
Development Command, Fort Detrick
Frederick, Maryland 21702-5012**

**DTIC
ELECTE
JUL 21 1993
S B D**

**DISTRIBUTION STATEMENT: Approved for public release;
distribution unlimited**

**The findings in this report are not to be construed as an
official Department of the Army position unless so designated by
other authorized documents.**

93 7 20 02

424911 93-16386

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE 15 Oct 92	3. REPORT TYPE AND DATES COVERED Annual Report (10/1/91-10/1/92)		
4. TITLE AND SUBTITLE Development of the OMPAT Neuropsychological/ Psychomotor Performance Evaluation and OMPAT Data and Timing Support Programs		5. FUNDING NUMBERS MIPR No. 91MM1504 63002A 30263002D995.JA.194 WUDA335701		
6. AUTHOR(S) Kathryn P. Winter LCDR Dennis L. Reeves				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Computer and Telecommunications Station Code N-1, Bldg. 603 Naval Air Station Pensacola, Florida 32508-6100		8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research & Development Command Fort Detrick Frederick, Maryland 21702-5012		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited		12b. DISTRIBUTION CODE		
13. ABSTRACT (Maximum 200 words) The objectives of this project have been: 1) to create a millisecond accuracy software timer module that could be incorporated into OMPAT and other testing programs, 2) to construct a set of automated, i.e., "computerized" OMPAT Level 1 neuropsychological and psychomotor tests with documentation that provide a standardized, clinically relevant, and rapid method for assessment of nervous system integrity, 3) to construct a version of UTC-PAB that incorporates the software timer.				
14. SUBJECT TERMS UTC-PAB, Computerized, Battery, Neuropsychological, millisecond timer, Humans, Task Analysis, Microsaint Modeling, RA V			15. NUMBER OF PAGES 1	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited	

FOREWARD

Opinions, interpretations, conclusions, and recommendations are those of the author and are not necessarily endorsed by the U.S. Army.

Where copyrighted material is quoted, permission has been obtained to use such material.

Where material from documents designated for limited distribution is quoted, permission has been obtained to use the material.

✓ Citations of commercial organizations and trade names in this report do not constitute an official Department of the Army endorsement or approval of the products or services of these organizations.

Where In conducting research using animals, the investigator(s) adhered to the "Guide for the Care and Use of Laboratory Animals," prepared by the Committee on Care and Use of Laboratory Animals of the Institute of Laboratory Animal Resources, National Research Council (NIH Publication No. 86-23, Revised 1985).

✓ For the protection of human subjects, the investigator(s) have adhered to policies of applicable Federal Law 45 CFR 46.

Where In conducting research utilizing recombinant DNA technology, the investigator(s) adhered to current guidelines promulgated by the National Institutes of Health.

Where In the conduct of research utilizing recombinant DNA, the investigator(s) adhered to the NIH Guidelines for Research Involving Recombinant DNA Molecules.

Where In the conduct of research involving hazardous organisms, the investigator(s) adhered to the CDC-NIH Guide for Biosafety in Microbiological and Biomedical Laboratories.

K. P. Winters 10/15/92
Principal Investigator's Signature Date



CONTENTS

	PAGE
FOREWORD	iii
1. INTRODUCTION	1
2. METHODS.	2
3. RESULTS.	3
4. CONCLUSION	4
APPENDIX.	5
Presentation and Publications	7

DTIC QUALITY INSPECTED 8

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By _____	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



1. INTRODUCTION

This annual report provides a summary of work completed for the development of the Neuropsychological Psychomotor Performance Evaluation and timing support programs during the fiscal year 1992. This effort took place at the Navy Computer and Telecommunications Station, Pensacola, FL.

The objective of this project is to computerize and document a select group of psychomotor and neuropsychological tests into an adaptable battery which provides a standardized, clinically relevant and rapid method for assessment of nervous system integrity. This battery or group of test batteries should be dynamic in nature, appealing to a broad spectrum of human performance researchers as well as the clinician.

Previously developed computerized software provided relevant data and information for human performance researchers but often was "hard coded" for a specific type of research or equipment and was unusable for similar human performance testing due to time, space or economic constraints, etc.

Computerized software developed to date, requires no additional equipment other than a standard IBM AT compatible personal computer. The test may be run independently or as a battery composed by the researcher.



2. METHODS

The Level I TAG has specified the Neuropsychological Performance Evaluation to meet the requirements below. Software developed includes timing modules to provide millisecond accuracy for subject/patient response times. All program modules developed are compatible in data format, instruction formats and tests structure to existing OMPAT batteries (e.g., UTC-PAB/AGARD STRES/ANAM Battery.) This standard for testing software all provide for ease of use for all researchers and versatility of software usage. Design characteristics incorporated into the test software are as follows:

1) Local area networking (LAN) capability allowing for simultaneous subject testing in a controlled laboratory or field site. A level of security for test software is provided, as the individual subjects data and test setups may be stored at a location other than where the test software resides (a fileserver or alternate disk drive). There is no test program requirement for writing information in the area where the testing software exists so software may be protected from the subject.

2) The ability to test a large domain of neuropsychological functions including sensory, perceptual and cognitive abilities.

3) Sensitivity to detect the interactive and independent effects of chemical agents and other stressors, i.e., heat, cold and fatigue on neuropsychological functions.

4) Compatibility with existing normative databases for comparison of test results with standardization samples such as age, education and occupational norms.

5) Multiple options for ordering subtests, storage and presentation of test data.

6) Operator control of stimulus presentation order, length of interstimulus intervals, duration of test, results feedback, composition of test instructions, response key definitions, size of stimulus display.



3. RESULTS

Neuropsychological performance evaluation software has been developed specifically designed to screen for deficits in the following domains: attention, memory, verbal skills, spatial skills and motor performance. The Level I Automated Neuropsychological Assessment Metrics (ANAM) is a collection of individual tests that can be run independently or run with the ANAM menu system as a test battery. It is extremely versatile at the single test level and may be used for human performance measures by the clinician or researcher.

Initial reports from researchers and clinicians resulted in minor modifications to beta software to further address the issues of neurodiagnostic evaluation and performance testing. Preliminary feedback from clinicians and researchers are encouraging. Additional human performance tests have been created to provide depth to the existing software measures. Tools to aid in data analysis were also added. This effort has created the concept of the "Testers Workbench". An unlimited number of test batteries may now be created. The generic menu system along with performance software that may be manipulated by the tester allow for the building of performance batteries that meet the needs of each testers individual situation.



4. CONCLUSIONS

The demand for neuropsychological human performance evaluation software has increased. Software that is independent of embedded program constraints and not performance battery specific is meeting the needs of both clinicians and researchers. Although the area of human performance addressed is extremely diverse, evaluation of head injury patients to pilot performance, flexible dynamic performance tests can be used for a variety of situations.



APPENDIX

TECHNOLOGY TRANSFER

Transferred upgraded ANAM/UTC-PAB/STRES software to USAFSAM Brooks AFB, San Antonio for use in performance testing for the IML-2 space shuttle launch of January 1994.

Transferred human performance neuropsychological testing software to the National Institute of Health for use in clinical evaluations. Provided onsite training.

Transferred human performance neuropsychological testing software to the National Naval Medical Center, Bethesda, MD for use in clinical evaluations. Provided onsite training.

Transferred human performance neuropsychological testing software to the Walter Reed Army Hospital, Washington, DC for use in clinical evaluations. Provided onsite training.

Transferred human performance neuropsychological testing software to Krug International Life Sciences (Behavior and Performance Laboratory at Johnson Space Center, Houston) for use in NASA's underwater habitation research program which took place at the Jules' Undersea Lodge in Key Largo, FL, May 1992. Performance software was used to measure stress effects of confinement on aquanauts.

Transferred human performance neuropsychological testing software to Edward Philpot, MD, Vacaville, CA.

Transferred human performance neuropsychological testing software to Group Health Inc., Mental Health Center, Minneapolis, MN for use in clinical evaluations.

Transfers made during FY91, software updates are still being requested by the following:

Transferred human performance neuropsychological testing software to NAMI, Pensacola NAS for evaluation. Provided onsite installation and training.

Transferred human performance neuropsychological testing software to NBDL, New Orleans NAS for use in ship motion research.

A setup, installation procedure and software demonstration was provided at Pensacola NAS.



Transferred human performance neuropsychological testing software to USAARL, Ft Rucker for human performance research. A demonstration of software and installation procedures was provided at Pensacola NAS.

Transferred upgraded STRES software to NAMRL, Pensacola NAS for use in sustained operations performance testing.

Transferred upgraded STRES software to USAFSAM Brooks AFB, San Antonio for use in performance testing.

Transferred human performance neuropsychological testing software to National Rehabilitation Hospital, Washington, DC for evaluation of brain injury patients. A setup, installation and demonstration of software was provided at NRH.

Transferred human performance neuropsychological testing software to Krug International Life Sciences to support ongoing NASA research at the Johnson Space Center, Houston, TX.

Transferred human performance neuropsychological testing software to the University of Massachusetts Medical Center to support ongoing research in neuropsychological assessment. A setup, installation and demonstration of software was provided.

Transferred human performance neuropsychological testing software to Georgetown University Medical Center, Department of Neurology, Washington, DC to support neurodiagnostic procedures. A setup, installation and demonstration of software was provided at GU.



Presentation and Publications

Peeves, D., Schlegal, R., Guillard, K. and Crabtree, M.
UTC-PAB and the NATO/AGARD STRES Battery: Results from standardization studies. Proceedings of the 1991 Medical Defense Bioscience Review. Aberdeen Proving Grounds, MD, 1991.

Winter, K. and Reeves, D. Update and Software Demonstration of UTC-PAB, ANAM and AAMS. Presented at the OMPAT Technical Advisory Group Meeting, 06 AUG 1991.

Hegge, F., Elsmore, T., Reeves, D. Office of Military Performance and Assessment Technology (OMPAT): Demonstration of OMPAT Software Products. Presented at the 1991 Army Research Psychologist (68T) Meeting, Silver Spring, MD 16-19 SEP 1991.

